DESERT

MAMMAL GUIDE

Ocotillo Wells SVRA





Coyote

Canis latrans

Photo by John Lynn

Tracks about 50% of actual size



Omnivore; scat appearance depends on diet. Scat with fruit or nuts is tubular with little twisting. Scat with bone and hair is twisted and tapered ropes with pointed ends; 3/8 to 1-3/8 inch diameter, 5 to 13 inches long.



Photo by John Lynn

Bobcat Felis rufus



Tracks about 50% of actual size



Carnivore; scat is often tubular, long segmented ropes that fold in on themselves. Scat has a smooth outer surface with blunt ends or one pointy end; 7/16 to 1 inch diameter, 3 to 9 inches long.



Gerald and Buff Corsi © California Academy of Sciences

American Badger Taxidea taxus



Tracks about 50% of actual size



Omnivore; scat appearance depends on diet. Scat with fur and bone is often twisted and folded with very pointy ends of somewhat segmented scat; 3/8 to 3/4 inch diameter, 3 to 6 inches long.



© Kim Cabrera

Black-tailed Jackrabbit Lepus californicus



Tracks about 25% of actual size



Herbivore; round or slightly flattened pellets; 3/8-1/2 inch diameter.



© 2003 Mark Bratton

Kit Fox **Vulpes** macrotis



Tracks about 80% of actual size



Carnivore; scat is twisted and tapered ropes with pointed ends; 3/16 to 5/8 inch diameter, 2 to 4-1/2 inches long.



© Jim Hughes

Round-tailed Ground Squirrel Spermophilus tereticaudus



Tracks about 100% of actual size



Omnivore; scat appearance varies with moisture in diet. Softer scat is often twisted with tapered ends; approximately 1/8 to 5/16 inch diameter, 3/16 to 5/16 inches long.



© 1997 Lee Dittmann

Botta's Pocket Gopher Thomomys bottae



Tracks about 100% of actual size



Herbivore; pellets are capsule-shaped with smooth surfaces and rounded ends; approximately 1/8 to 3/16 inch diameter, 5/16 to 7/16 inches long.



Desert Woodrat *Neotoma lepida*



Tracks about 100% of actual size



Herbivore; tubular pellets much longer than wide; 1/8 to 3/16 inch diameter, 1/4 to 9/16 inches long.



Cactus Mouse

Peromyscus eremicus

Photo by Roger W. Barbour



Tracks about 100% of actual size



Herbivore; scat can be slightly curved with tapered ends; approximately 1/32 to 1/16 inch diameter, 3/32 to 7/32 inches long.



Dr. Lloyd Glenn Ingles © California Academy of Sciences

Desert Pocket Mouse

Chaetodipus penicillatus



Tracks about 100% of actual size



Herbivore; scat can be slightly curved with tapered ends; approximately 1/16 to 3/32 inch diameter, 3/32 to 3/16 inches long.



Dr. Lloyd Glenn Ingles © California Academy of Sciences

Merriam's Kangaroo Rat Dipodomys merriami



Tracks about 100% of actual size



Herbivore; scat can be slightly curved with tapered ends; 1/16 to 3/32 inch diameter, 3/32 to 3/16 inches long.