## **CHART 1: GUIDELINES FOR PARK OPERATIONS PROGRAM**

Program Function	Number of	Staffing	Visitor Capacity	y Facility Guidelines									Location Guidelines			
1 rogram r anouom	Cottages/	needed	Estimate**	ADA	Offices	Restroom	Kitchen	Activity	Storage	Parking	Comments	Core	Vehicle	Other	Comments	
	Buildings	Heeded	Louinate	accessible	needed		needed	Spaces	space	needed	Comments	access	access	functional	Comments	
	(estimate)			accessible	needed	III lacility	Heeded	Spaces	needed	needed		route	access	tie		
Park Operations	(estimate)								needed			Toule		ue		
Entrance Control	Entry	1	NA	Yes	NA	Yes or	No	Entrance kiosk	No	0	New entrance bldg.	Yes	Yes	Ranger	Visitor drop-off	
	kiosk	•	I VX	100	1471	nearby	140	Entrance Riosk	140		in charac w/ CCHD	100	103	substation	nearby	
Beach restroom facilities	3 or 4	0	Capacity determ.	Yes	0	Yes	No	Restroom	No	Mainten.	Cottage adaptions	TBD	Mainten.	Near activity	Beach visitor facility	
			by bldg/site					(outdoor showers			or new buildings			functions	needed. Others TBD	
			constraints					at beachfront)								
Park operations & maintenance	1 or 2	3 staff	work crews (1-20)	Yes	4	Yes	Yes	Meeting/work area	Yes	2 garages,	CCHD office for park	Yes	Yes	entrance	Walking distance to	
office		1-4 tech.	will report to office					woodshop area for	(separate	3 spaces,	rangers, maintenance,			control	entrance station is	
		staff	location					rehab/mainten.	building)	drop off/	and visiting tech.			support	preferred, woodshop	
								work		deliveries	staff				should be away from	
										area					public activity areas.	
Operations Storage	Garages	0	0	Yes	0	No	No		Yes	2 garage	For vehicles, equip.,	No	Yes	Ranger, maint.,		
										spaces	materials, tools,			& lifeguard		
											workshop, etc.					
Lifeguard substation	1	3 staff	NA	Yes	2	Yes	No	Small meeting &	Yes	2 staff	Need view & access	No	Yes		Adjacent to beach.	
		2 seas.						training area,		1 visitor	to beach & ocean				Away from main	
								dispatch station							pedestrian access.	
CCHD Park Research	1	1 to 2	0	Yes	1	Yes	TBD		Yes	drop off		No	Yes	Lifeguard &		
									dive gear &					Underwater		
									res. equip.					park interp.		
Park Staff Security Housing	5 cott.	5	NA	1 minimum	NA	Yes	Yes	Full residence	Yes	Yes	Housing units	No	Yes		Locate to provide	
		plus						accommodations			should be paired for				24 hr. surveillance &	
		families									mutual security				security in CCHD	
Los Trancos park office	NA	1 or 2	60 school children	Yes	2	Yes	Optional	Interpretive group	No	2 staff,	Continue office	No	Yes	Access trail to	Primary CCHD	
								activities/tour		general	function for non-			undercrossing	visitor parking area	
								staging area.		visitor	CCHD park needs.			and CCHD.	(cars & buses).	
								Meeting area for		parking	Staging area for			PCH intersec.	Minimizes vehicle	
								district/park			CCHD visitor groups				impacts on CCHD.	
								meetings			visitor group buses					
											would come here.					

<sup>\*</sup>TBD: To Be Determined; \*\*Proposed occupancy capacities for the cottages are subject to State Fire Marshall approval and historic rehabilitation evaluations